

Five Function Luxurious Electric Care Bed



STD. configuration: -

- Advanced medical motor system (4 Pcs. motor, 1 pc control box, 1 pc hand set)
- 60 mm x 30 mm CRCA tubular frame work.
- Four Section perforated CRCA sheet top.
- Polymer molded Head and Foot Board.
- Split type side Railings (set of 4)
- luxurious four-fold PP Guiderails
- Four heavy duty swivel castors of 125 mm Dia. (two with brake)
- Pretreated and Epoxy powder coated.

Optional Accessories at Extra Cost

- 1) Central & Directional Locking Castors
- 2) Four Section PU foam Mattress
- 3) Urine Bag Holder.
- 4) S.S. Telescopic Saline Rod
- 5) Food Table
- 6) Backup Power System (UPS)
- 7) Quick fold down system (CPR)
- 8) Nurse control System (ACP)

Overall Size: - 2150 mm L x 950 mm W x Ht adjustable from 550 mm to 750 mm

Four Function Luxurious Electric Care Bed



STD. configuration: -

- Advanced medical motor system (4 Pcs. motor, 1 pc control box, 1 pc hand set)
- 60 mm x 30 mm CRCA tubular frame work.
- Four Section perforated CRCA sheet top.
- Polymer molded Head and Foot Board.
- Collapsible side railings
- Four heavy duty swivel castors of 125 mm Dia. (two with brake)
- Pretreated and Epoxy powder coated.

Optional Accessories at Extra Cost

- 1) Central & Directional Locking Castors
- 2) luxurious four-fold PP Guiderails
- 3) Four Section PU foam Mattress
- 4) Urine Bag Holder.
- 5) S.S. Telescopic Saline Rod
- 6) Food Table
- 7) Backup Power System (UPS)
- 8) Quick fold down system (CPR)
- 9) Nurse control System (ACP)

Overall Size: - 2150 mm L x 950 mm W x Ht adjustable from 550 mm to 750 mm

Three function luxurious electric Care bed



STD. configuration: -

- Advanced medical motor system (3 Pcs. motor, 1 pc control box, 1 pc hand set)
- 60 mm x 30 mm CRCA tubular frame work.
- Four Section perforated CRCA sheet top.
- Polymer molded Head and Foot Board.
- Collapsible side railings
- Four heavy duty swivel castors of 125 mm Dia. (two with brake)
- Pretreated and Epoxy powder coated.

Optional Accessories at Extra Cost

- 1) Central & Directional Locking Castors
- 2) luxurious four-fold PP Guiderails
- 3) Four Section PU foam Mattress
- 4) Urine Bag Holder.
- 5) S.S. Telescopic Saline Rod
- 6) Food Table
- 7) Backup Power System (UPS)
- 8) Quick fold down system (CPR)
- 9) Nurse control System (ACP)

Overall Size: - 2150 mm L x 950 mm W x Ht adjustable from 550 mm to 750 mm

Two function electric Care bed



STD. configuration: -

- Advanced medical motor system (2 Pcs. motor, 1 pc control box, 1 pc hand set)
- 60 mm x 30 mm CRCA tubular frame work.
- Four Section perforated CRCA sheet top.
- Polymer molded Head and Foot Board.
- Collapsible side railings
- Four heavy duty swivel castors of 125 mm Dia.
- Pretreated and Epoxy powder coated.

Optional Accessories at Extra Cost

- 1) Central & Directional Locking Castors
- 2) Luxurious four-fold PP Guiderails
- 3) Four Section PU foam Mattress
- 4) Urine Bag Holder.
- 5) S.S. Telescopic Saline Rod
- 6) Food Table
- 7) Backup Power System (UPS)
- 8) Quick fold down system (CPR)
- 9) Nurse control System (ACP)
- 10) Stainless steel Side railings

Overall Size: - 2150 mm L x 950 mm W x 650 mm Ht.

HEIGHT ADJUSTABLE ICU BED WITH NEW DESIGN COLLAPSIBLE SIDE RAILINGS



STD. configuration: -

- 50 mm x 25 mm CRCA tubular frame work.
- Four Section perforated CRCA sheet top.
- Backrest, knee rest, Trendelenburg, reverse Trendelenburg & height adjustment operated by screw and lever mechanism.
- Polymer molded Head and Foot Board.
- A pair of new design Collapsible side railings
- Four heavy duty swivel castors of 125 mm Dia. (two with brake)
- Pretreated and Epoxy powder coated.
- Buffers on corners

Optional Accessories at Extra Cost

- 1) Central & Directional Locking Castors
- 2) Luxurious four-fold PP Guiderails
- 3) Four Section PU foam Mattress
- 4) Urine Bag Holder.
- 5) S.S. Telescopic Saline Rod
- 6) Food Table
- 7) Stainless steel Bows & Side railings

Overall Size: - 2150 mm L x 950 mm W x Ht adjustable from 550 mm to 750 mm

FIXED HEIGHT SEMI-ICU BED WITH NEW DESIGN COLLAPSIBLE SIDE RAILINGS



STD. configuration: -

- 50 mm x 25 mm CRCA tubular frame work.
- Four Section perforated CRCA sheet top.
- Backrest, knee rest, Trendelenburg & reverse Trendelenburg operated by screw and lever mechanism.
- Polymer molded Head and Foot Board.
- A pair of new design Collapsible side railings
- Four heavy duty swivel castors of 125 mm Dia. (two with brake)
- Pretreated and Epoxy powder coated.
- Buffers on corners

Optional Accessories at Extra Cost

1. Central & Directional Locking Castors
2. Luxurious four-fold PP Guiderails
3. Four Section PU foam Mattress
4. Urine Bag Holder.
5. S.S. Telescopic Saline Rod
6. Food Table
7. Stainless steel Bows & Side railings

Overall Size: - 2150 mm L x 950 mm W x 650 mm Ht.

FOWLER BED DELUXE



STD. configuration: -

- 50 mm x 25 mm CRCA tubular frame work.
- Four Section perforated CRCA sheet top.
- Backrest, Knee rest, operated by Screw and lever mechanism with attached S.S. folding handles.
- Stainless Steel Bows
- A pair of Stainless steel Swing type side railings
- Four locations for I.V. Rod
- Pretreated and Epoxy powder coated.

Optional Accessories at Extra Cost

- Saline Rod
- PU foam Mattress
- Four heavy duty swivel castors of 125 mm Dia. (two with brake)

Overall Size: - 1980 mm L x 950 mm W x 550 mm Ht

SEMI FOWLER BED STANDERD



STD. configuration: -

- 50 mm x 25 mm CRCA tubular frame work.
- Two Section perforated CRCA sheet top.
- Backrest operated by Screw and lever mechanism with attached S.S. folding handles.
- Powder coated Bows
- A pair of Powder coated Swing type side railings
- Four locations for I.V. Rod
- Pretreated and Epoxy powder coated.

Optional Accessories at Extra Cost

- Saline Rod
- PU foam Mattress
- Four heavy duty swivel castors of 125 mm Dia. (two with brake)
- Stainless Steel Bows
- A pair of Stainless steel Swing type side railings

Overall Size: - 1980 mm L x 980 mm W x 550 mm Ht

PLAIN HOSPITAL BED



STD. configuration: -

- 50 mm x 25 mm CRCA tubular frame work.
- Heavy duty strip structure CRCA sheet top.
- 32mm Dia. Powder coated bows
- Four locations for I.V. Rod
- Pretreated and Epoxy powder coated.
- Sizes available as per users need.

SIMPLE HOSPITAL BED WITH MANUAL BACKREST



Optional Accessories at Extra Cost

- Saline Rod
- Mattress
- Castors (set of four) two with brake
- A Pair of side Railings
- Stainless Steel bows & side railings
- Urine bag holder

Overall Size: - 1830 mm L x 835 mm W
x 550 mm Ht

STANDARD ATTENDENT BED



- Overall Approx Size: - 1830 mm L x 610 mm x W 460 mm Ht
- 50mm x 25 mm CRCA rectangular tubular frame work.
- Pretreated and epoxy powder coated.

BUNK BED



STD. configuration: -

- 50 mm x 25 mm CRCA tubular frame work.
- Heavy duty CRCA sheet top.
- Pretreated and Epoxy powder coated.
- Sizes available as per users need.

Optional Accessories at Extra Cost

- Mattress

Overall Size: - 1980 mm L x 820 mm W x 1830 mm Ht

PEADIATRIC BED WITH DROP SIDE RAILINGS



Overall Approx Size: - 1520 mm L x 840 mm W 585 mm Ht

Mattress size: - 1490 mm L x 810 mm W

- Two locations for I.V.rod
- Perforated CRCA Sheet Top
- Pretreated and epoxy powder coated.
- Full length drop side Railings.

STANDERD MATERNITY BED



STD. configuration: -

- 50 mm x 25 mm CRCA tubular frame work.
- Heavy duty strip structure CRCA sheet top.
- 32mm Dia. Powder coated Bows.
- Baby Cradle attachment.
- Four locations for I.V. Rod
- Pretreated and Epoxy powder coated.
- Sizes available as per users need.

Optional Accessories at Extra Cost

- Saline Rod
- Mattress
- Castors (set of four) two with brake
- A Pair of side Railings
- Stainless Steel bows & side railings
- Urine bag holder

Overall Size: - 1980 mm L x 835 mm W x 550 mm Ht

BED SIDE LOCKER

(STANDARD)



Size: - 450 mm W x 350 mm x 750 mm Ht

Bed side Locker

(Deluxe)



Size: - 450 mm W x 450 mm x 850 mm Ht

Bed side Table full Stainless steel



Overall Approx Size: - 450 mm W x 330 mm x 650 mm HtFeatures

- Three stainless steel shelves
 - Mounted on stainless tubular frame.
- Optional At extra cost : 50mm dia. Castors.

OVER BED TABLE
(STAINLESS STEEL)



OVER BED TROLLEY
(STAINLESS STEEL TOP)



Size: - 750mm L x 320mm W x 320mm H

BED SIDE SCREEN



Overall Size: - 2400mm L x 1670mm
H

Available in Epoxy Powder coated /
Stainless steel

SALINE STAND



Features:

- **A:-** Powder coated body with powder coated base.
- **B:-** Powder coated body with wheel base.
- **C:-** SS body with stainless steel base.
- **D:-** SS body with wheel base.

ALL PURPOSE STOOL

POWDER COATED

S.S. TOP

TOTAL S.S



REVOLVING STOOL



Overall Approx. Size: - Top 300mm Dia. With height adjustable 465mm to 710mm



BURN CAGE



BABY CRADLE TROLLEY

EXAMINATION COACH



Features

- Frame CRCA Rectangular Tubes, CRCA Sheet Cabinets
- Four Cabinets & three Drawer
- 65mm thick mattress
- Step Stool & Writing pad
- Pretreated & Epoxy Powder Coated
- OPTIONAL :- Lock Facility for Cabinets

Approx size: - 1830 mm L x 610 mm W x 810mm HT

GYANEC EXAMINATION COACH



Features

- Frame CRCA Rectangular Tubes, CRCA Sheet Cabinets
- Four Cabinets & three Drawers
- 65mm thick mattress With ' U ' cut
- Step Stool & Writing pad
- Pair of Lithotomic bars
- Pretreated & Epoxy Powder Coated
- OPTIONAL :- Lock Facility for Cabinets

Approx size: - 1830 mm L x 610 mm W x 810mm HT

HALF EXAMINATION COACH



Features

- Frame CRCA Rectangular Tubes, CRCA Sheet Cabinets
- Two Cabinets & one Drawer With lock
- 65mm thick mattress
- Step Stool & Writing pad
- Pretreated & Epoxy Powder Coated

Approx size: - 1830 mm L x 610 mm W x 810mm HT

HALF EXAMINATION COACH (Gynac)



Features

- Frame CRCA Rectangular Tubes, CRCA Sheet Cabinets
- Gynac Cut & Lithotomic bars
- Two Cabinets & one Drawer With lock
- 65mm thick mattress with ' U ' cut
- Step Stool & Writing pad
- Pair of Lithotomic bars
- Pretreated & Epoxy Powder Coated

Approx size: - 1830 mm L x 610 mm W x 810mm HT

PLAIN EXAMINATION TABLE



Features

- Frame Press Bend CRCA Top with backrest adjustable on ratchet
- CRCA tubular legs
- 65mm thick Mattress
- Pretreated & Epoxy Powder Coated

Approx size: - 1830 mm L x 610 mm W x 810mm HT

GYNAC PLAIN EXAMINATION TABLE



Features

- Frame Press Bend CRCA Top with backrest adjustable on ratchet
- CRCA tubular legs
- Gynac Cut to mattress & Lithotomic bars
- Pretreated & Epoxy Powder Coated

Approx size: - 1830 mm L x 610 mm W x 810mm HT

STEP STOOL



Crash Cart



Approx Size: - 360 mm L x 660 mm W x 1550 mm Ht

Features

- Six drawer modular system.
- Upper two drawers with medicine containers.
- Detachable plastic bins.
- Oxygen cylinders stand attachment.
- Top tray for monitor & pulse oxy-meter.
- Stainless steel I.V. rod & cardiac massage board.
- System mounted on 100mm dia. Wheels with diagonal breaks.
- Available in Stainless steel / Powder coated frame with S.S. Top.

Laparoscopic Trolley



Size :- 26"Lx20"Wx61"H

Approx Size: - 660 mm W x 510 mm x 1550 mm Ht

Shelves size: W 660mm x L 510mm

Features

- Fixed 4 shelves.
- Mounted on 125mm dia. Heavy duty Castors 2 with brakes.
- 6 point electrical panel with socket and switch
- Available in stainless steel and powder coated.

EMERGENCY DRUG TROLLEY (POWDER COATED)



Size: -550 mm L x 460 mm W x 1430mm H

Features:

- Two Shelves, 100mm Dia. Castors and 25 medicine containers
- Pretreated & Epoxy Powder Coated
- Available in Stainless steel / Powder coated

ECG MACHINE TROLLEY



Size: -450 mm L x 450 mm W x 980mm H

Features:

- Three trays, 50mm Dia. Castors and Cable hanger
- Complete stainless steel

INSTRUMENT TROLLEY



Features

- Stainless Steel 18mm round tubes
- Stainless Steel top & bottom shelves with 3 side railing on the top shelf
- Trolley mounted on 100 mm Dia. Castors
- Available in full Stainless Steel /powder coated frame with Stainless Steel Shelves

Approx size: - 710 mm L x 460 mm W x 820mm HT

DRESSING TROLLEY WITH BOWL & BUCKET



Features

- Frame Stainless Steel Square tubes of 18mm
- Trolley mounted on 100 mm Dia. Castors
- Available in full Stainless Steel /powder coated frame with Stainless Steel Shelves & railings
- Stainless Steel bowl Dia. 345 mm Bucket Dia. 360 mm

Approx size 720 mm L x 460 mm W x 820mm HT

LINEN TROLLEY



Linen bag size: - 610mm Dia. X 1000 mm H

Features:

- Trolley mounted on 100mm Dia. Three castors

MAYO'S TROLLEY (SINGLE PILLAR)



Features

- Frame Stainless Steel Rectangular & Square Tubes
- Trolley mounted on 50 mm Dia. Castors
- Available in full Stainless Steel / powder coated frame with Stainless Steel Tray

Tray size: - 560 mm L x 380 mm W

Height Adjustment from 850 mm to 1300 mm

MAYO'S TROLLEY (DOUBLE PILLAR)



Features

- Frame Stainless Steel Rectangular & Square Tubes
- Trolley mounted on 50 mm Dia. Castors
- Available in full Stainless Steel / powder coated frame with Stainless Steel Tray

Tray size: - 770 mm L x 510 mm W

Height Adjustment from 845 mm to 1300 mm

OXYGEN CYLINDER TROLLEY



EMERGENCY & RECOVERY TROLLEY (CASUALTY TROLLEY)



Features

- Height Adjustment & Trendelenburg / Reverse Trendelenburg position by screw & lever mechanism.
- Oxygen cylinder cage
- I.V. Rod
- S.S. Swing away type side railings
- Four heavy duty swivel castors of 125 mm Dia., Two with brakes.
- Buffers at four corners
- Pretreated & Epoxy powder Coated

Approx Size: - 1980 Mm L x 710 mm x Ht Adj. From 700 mm to 890mm

STRETCHER ON TROLLEY



Features

- Base frame :- 25 mm CRCA Tube
- Mounted on 150mm Dia. Heavy Duty castors
- Also Available in Stainless Steel
- Removable Stainless Steel top fixed on CRCA tube frame
- Pretreated & Epoxy Powder Coated

Approx Size: - 2130 mm L x 610mm W x 870 mm Ht

STRETCHER TROLLEY (FOLDING)



Features

- Both Side Folding Stainless Steel top Fixed on CRCA tube frame
- Base frame 25 mm CRCA Tube
- Mounted on 150mm Dia. Heavy Duty castors
- Also Available in Stainless Steel Top & Stainless Steel Base
- Pretreated & Epoxy Powder Coated

Approx Size: - 1830mm L x 570mm W x 800mm Ht

Folding Approx Size: - 1000mm L x 570 mm W x 800 mm Ht

CANVAS STRETCHER



ROLLER SHIFTER



WHEEL CHAIR (FIXED TYPE)



IMPORTED

FOLDING WHEEL CHAIR



POWDER COATED

TELESCOPIC LABOUR TABLE (SI-58-A)



Features

- Three section Stainless Steel Top , Stainless Steel Base
- Backrest on ratchet
- Hand grips on both side
- Middle section having perinal U cut with bowl
- Head Low up (T & RT) by screw mechanism
- Sliding foot end
- Railings on three sides

Overall approx Size: - 1830 mm L x 870 mm W x 800 mm Ht

Accessories: - Lithotomic bars, Stirrups , Step Stool & Mattress

LABOUR TABLE (FOOT END FOLDING)



Features

- Two section Stainless Steel Top & base with head low/up (T & RT) by screw mechanism
- Removable & folding foot end
- Perinal U cut with drainage Bowl
- Available in full Stainless Steel / Stainless Steel top & Epoxy Powder Coated base

Overall approx Size: - 1830 mm L x 870 mm W x 800 mm Ht

Frame: - 50 mm x 25 mm, Rectangular Steel Tube.

Accessories: - Lithotomic bars, Stirrups & Mattress



Salient Features:

- Exceptionally Noiseless Operation due to oil immersed Piston pump.
- 1/8 Hp OR 1/6 Hp Compressor For energy Saving .
- Economical due to energy efficient compressor.
- Complete S.S. cabinet mounted on castors for easy mobility
- Vacuum Capacity: 700 mm/Hg.
- Fluid Containers: Two Glass Jars (1.5ltrs. Capacity Each.)

HI-VAC. –MAJOR SUCTION



Salient Features:

- Oil immersed rotary vacuum pump driven by ¼ Hp. Specially developed electrical motor
- Completely S.S. Cabinet Mounted on Castors For Easy Mobility.
- Gives instant vacuum with regulator to control vacuum as per Doctors requirement.
- Specially design self-sealing rubber caps fits glass Jars automatically.
- Fluid containers: two glass jars (1.5 ltrs. Capacity each.)
- Vacuum Capacity: 760 mm/ Hg. (Approx.)

FUMIGATOR

(STAINLESS STEEL WITH TIMER)



BOWL STAND

